



# IECEX Certificate of Conformity

## INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit [www.iecex.com](http://www.iecex.com)

Certificate No.: IECEx UL 18.0030X

Issue No: 0

Certificate history:

Issue No. 0 (2018-09-28)

Status: **Current**

Page 1 of 3

Date of Issue: **2018-09-28**

Applicant: **ExRobotics B.V.**  
Effenseweg 1  
Breda, 4838 BA  
The Netherlands

Equipment: **ExR-1 Robot Operator**

Optional accessory:

Type of Protection: **Flameproof "db", Increased safety "eb", Intrinsic safety "ib", Encapsulation "mb", Powder filling "qb"**

Marking:

Ex db eb ib mb qb IIB T4 Gb

-20°C ≤ Ta ≤ +50°C

Approved for issue on behalf of the IECEx  
Certification Body:

Katy A. Holdredge

Position:

Senior Staff Engineer

Signature:  
(for printed version)

Date:

2018-09-28

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the [Official IECEx Website](http://www.iecex.com).

Certificate issued by:

**UL LLC**  
333 Pfingsten Road  
Northbrook IL 60062-2096  
United States of America





# IECEX Certificate of Conformity

Certificate No: IECEX UL 18.0030X

Issue No: 0

Date of Issue: **2018-09-28**

Page 2 of 3

Manufacturer: **ExRobotics B.V.**  
Effenseweg 1  
Breda, 4838 BA  
**The Netherlands**

Additional Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

## STANDARDS:

The apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

<b>IEC 60079-0 : 2011</b> Edition:6.0	Explosive atmospheres - Part 0: General requirements
<b>IEC 60079-1 : 2014-06</b> Edition:7.0	Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"
<b>IEC 60079-11 : 2011</b> Edition:6.0	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
<b>IEC 60079-18 : 2014</b> Edition:4.0	Explosive atmospheres – Part 18: Equipment protection by encapsulation "m"
<b>IEC 60079-5 : 2015</b> Edition:4.0	Explosive atmospheres –Part 5: Equipment protection by powder filling "q"
<b>IEC 60079-7 : 2015</b> Edition:5.0	Explosive atmospheres – Part 7: Equipment protection by increased safety "e"

*This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.*

## TEST & ASSESSMENT REPORTS:

*A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in*

Test Report:

[US/UL/ExTR18.0036/00](#)

Quality Assessment Report:

[DK/ULD/QAR18.0002/00](#)



# IECEX Certificate of Conformity

Certificate No: IECEX UL 18.0030X

Issue No: 0

Date of Issue: 2018-09-28

Page 3 of 3

## Schedule

### EQUIPMENT:

*Equipment and systems covered by this certificate are as follows:*

The ExR-1 Robot Operator is a remotely operated robotic vehicle that is used to inspect oil and gas facilities. The ExR-1 Robot Operator is constructed of certified components including cameras, lights, motors, and various sensors. The various components are interconnected with certified cable glands and suitable cables.

Please see Annex for additional information.

### SPECIFIC CONDITIONS OF USE: YES as shown below:

- Do not repair flameproof joints.
- The flameproof joints are closed using fasteners with a yield stress  $\geq 450 \text{ Nmm}^2$

The following additional previous editions of Standards noted under the "Standards" section of the Certificate were applied to integral Components as itemized below. There are no significant safety related changes between these previous editions and the editions noted under the "Standards" section.

CMP Ex "d" barrier gland 20S16PX2KREX1RA4 and 20SPX2KREX1RA4. Raxton Breather Drain CTE1300YU	IEC 60079-1 Edition 2007
R. Stahl Switches 8003/121-015 and 8003/131-726-2r	IEC 60079-0 Edition 2004
R. Stahl Switches 8003/121-015 and 8003/131-726-2r	IEC 60079-1 Edition 2001
Multibox Terminal Boxes MBA 202311 and MBA 332311. Raxton Breather Drain CTE1300YU	IEC 60079-7 Edition 2006
R. Stahl Switches 8003/121-105 and 8003/131-726-2r	IEC 60079-7 Edition 2001

### Annex:

[Annex to IECEX 18.0030X Issue 0.pdf](#)



# IECEX Certificate of Conformity

Certificate No.: IECEX UL 18.0030X

Issue No.: 0

Page 1 of 2








## PARAMETERS RELATING TO THE SAFETY

Maximum Wattage 1300W

Um = 240VAC

## MARKING

Marking has to be readable and indelible; it has to include the following indications:

		<b>ExRobotics B.V.</b> Effenseweg 1 4838 BA Breda The Netherlands	
CE 0539	Year of manufacture	2018	
ExR-1 Robot Operator			
EXR-SW-000001	01		
IECEX UL 18.0030X		DEMKO 18 ATEX 1932X	
 II 2G Ex db eb ib mb qb IIB T4 Gb			
-20°C ≤ Ta ≤ +50°C		<i>See Instructions</i>	
 Total power housed < 1300 W · Um = 240V · Operating < 45V DC			
 <b>WARNING</b> <b>THIS PRODUCT IS ONLY TO BE SERVICED BY EXROBOTICS</b>	 <b>WARNING</b> <b>DO NOT REMOVE ANY PARTS</b>	 <b>WARNING</b> <b>DO NOT OPEN IN AN EXPLOSIVE ATMOSPHERE</b>	 <b>WARNING</b> <b>DO NOT CHARGE IN A HAZARDOUS AREA</b>



# IECEx Certificate of Conformity

Certificate No.: IECEx UL 18.0030X

Issue No.: 0

Page 2 of 2

## ROUTINE EXAMINATIONS AND TESTS

Each piece of equipment defined above has to have successfully passed; before delivery:

- Routine Surface Resistance test in accordance with Clause 4.2.3 of IEC 60079-32-2 shall be conducted on each Thistle Track Centipede. Reference Drawing 20180716IP1 for further details.
- Routine Dielectric Strength Test in accordance with Clause 5.2.2 of IEC 60079-5 shall be performed on each lot of Swarco glass beads. Reference Drawing 20180720RS1 for further details.
- Routine Pressure Test in accordance with Clause 5.2.1 of IEC 60079-5 shall be performed on each Electronics Box at a pressure of 50kPa for a duration of not less than 10 seconds. No permanent deformation of the enclosure is to exceed 0.5mm in any dimension. Reference Drawing 20180710IP1 for further details.

The following Clauses from IEC 60079-14 Ed. 5 were verified as part of the Ex equipment assembly: 4.1, 4.4.1.1, 4.4.1.2, 4.4.2, 5.12, 5.14.2, 6.1, 6.2, 6.5.1, 6.5.2, 6.7.1, 6.7.2, 7, 8.1, 8.2, 8.3, 9.1, 9.3.1, 9.3.2, 9.3.8, 9.5, 9.6.2, 10.1, 10.2, 10.3, 10.5, 10.6.1, 10.6.2, 11.1, 14.1, 15.1, 16.1, 16.2.1, 16.2.2.1, 16.2.2.2, 16.2.2.5.1, 16.2.2.5.2, 16.2.2.6, 16.2.3, 16.4, 20, 21

The following Clauses from IEC 60079-14 Ed. 5 were considered not applicable: 4.4.3, 5.4.3, 5.4.5, 5.6.3, 5.8, 5.10.3, 5.11.4, 5.11.5, 5.13.1, 5.13.2, 5.13.3, 5.15, 5.16, 6.3, 6.4, 6.5.3, 6.8, 9.2, 9.3.3, 9.3.4, 9.3.5, 9.3.9, 9.4, 9.6.1, 9.6.3, 9.6.4, 9.6.5, 10.4, 10.7, 10.8, 11.2.1, 11.2.2, 11.3, 11.4, 11.5, 11.6, 12, 13, 14.2, 14.4, 15.2, 15.3, 15.4, 16.2.2.3, 16.2.2.4, 16.2.2.5.3, 16.2.2.7, 16.2.2.8, 16.2.4, 16.3, 16.5, 16.6, 17, 18, 19, 22, 23, Annex H

The following Clauses from IEC 60079-14 Ed. 5 need to be verified on site: 4.2, 4.3, 4.5, 5.1, 5.2, 5.3, 5.4.1, 5.4.2, 5.4.3, 5.4.4, 5.5, 5.6.1, 5.6.2, 5.7, 5.9, 5.10.1, 5.10.2, 5.11.1, 5.11.2, 5.11.3, 5.14.1, 6.6, 6.9, 9.3.6, 9.3.7, 9.6.6, 14.3, Annex A, Annex C, Annex G, Annex K

## LIST OF CERTIFIED COMPONENTS

Type	Certificate
CMP Ex "d" barrier gland 20S16PX2KREX1RA4 and 20SPX2KREX1RA4	IECEx SIR 13.0027X
R. Stahl Switches 8003/121-015 and 8003/131-726-2r	IECEx PTB 06.0065X
Multibox Terminal Boxes MBA 202311 and MBA 332311	IECEx IBE 14.0020U
Raxton Breather Drain CTE1300YU	IECEx ITS 13.0018X